I intend moving the High Court of Mysore, Bangalore, to be enrolled as an Advocate.

MOHAMAD HANIEF, B.A., B.L.

"I. L. Puttagangaiah, Teacher, Hindi, has changed my name into K. L. Gangaram Singh."

L. PUTTAGANGAIAH.

LOST.

Six Mysore State Loan Bonds, 6½ per cent 1940, Nos. D004022, D004023, D004024, D004025, D004026, D004027, for rupees one hundred each and Mysore Government 4 per cent guaranteed Kolar District Board Railway Loan Debentures Nos. 108/00062, 109/00063, 110/00064 for rupees one hundred each,—originally, standing in the name of Mr. W. Srinivasiengar, Civil Surgeon, Mysore State, and last endorsed to the proprietor, by whom it was never endorsed to any other person, having been lost, notice is hereby given that the payment of the above bonds, and the interest therefor, have been stopped, at the Treasury where made payable, and that application is about to be made for the issue of a duplicate in favour of the proprietor, the public are cautioned against purchasing or otherwise dealing with the abovementioned nine 100 rupees bonds.

Name of Proprietor—W. SRINIVASIENGAR,
Residence—2/1147, Krishnaraja Extension,
Tumkur Town.

OFFICE OF THE CHIEF CONSERVATOR OF FORESTS IN MYSORE, BANGALORE.

Notification No. C. 56-656-33, dated 12th December 1933.

The following articles will be sold by public auction in the Office of the Chief Conservator of Forests, New Public Offices, Bangalore, on Saturday the 16th December 1933 at 3 P.M.

The successful bidder should pay the sale amount in full immediately and take charge of the articles purchased,

1 Teakwood chair
1 Camp chair
1 Rowtee
1 Camp table without frame
6 Locks

B. V. RAMAIENGAR,
Chief Conservator of Forests.

KOLAR DIVISION.

Dated 11th December 1933.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 2 P.M., on 2nd January 1934, for the work of restoring Katamachanahalli, Handikere tank, Reg. No. 665, Chintamani Taluk. An approximate estimate of quantities is given in the next leaf. These quantities are not guaranteed. The work should be completed by the end of 193.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineers' Office, at Kolar, between the hours of 11 A.M. and 5 P.M. on all working days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 200 (two hundred only) in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for the work of restoring Katamachenahalli, Handikere tank, Reg. No. 665, Chintamani Taluk," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will

9. Rates once tendered will on no account be increased afterwards.

10. The rates are to be entered in figures and words.

11. The amount of earnest money should be deposited in the Government Treasury and the treasury chalan furnished to this Office with the tender.

12. The tender stating that the work would be executed at a certain percentage in excess or lower than the estimate rate will not be accepted.

Abstract estimate for restoring Katamachanahalli Handikunte tank R. No. 665 of Chintamani Taluk.

Sl. No.	Particulars	Unit	Quantity	Cost
	BUND.			
1	Removing roots of dead honge trees ...	L.S.		
2	Excavating trenches on the bund and the rear slope for receiving new earth.	grades	22	
3	Clearing silt and loose earth in C. S. 3(9) ..	C.yds.	112	
4	Earthwork to bund with watering and tamping ...	,,	4724	
5	Cutting a trench along the bund for examining and stoping the percolation at C.S. 8 to C.S. 9.	,,	217	
6	Cutting grips ...	L.S.		
7	Refilling the bund with watering and tamping ...	C.yds.	217	
8	Turfing to front and rear slopes of bund ...	S.yd.	4,789	
9	Resetting old stone work . .	L.S.		
10	New stone work as per statement ...	C.yd.	451	
11	Removing and refixing old grade stone with painting.	No.	13	
12	Providing and fixing new grade stones with painting	,,	12	
13	Providing and fixing new index stones ...	,,	25	
14	Painting the existing Rg. No. Stones ...	,,	1	
15	Do B.M. Stones ...	,,	2	
	Providing and fixing gauge stone ...	,,	1	
	SLUICE.			
1	Cut opening the bund and refilling after examining.	L.S.		
2	Providing and fixing plug and locking arrangements	,,		
	CONSTRUCTING A NEW WASTE WEIR ON THE RIGHT SIDE 100′ LONG.			
1	Earth work excavation for foundation ...	C.yd.	110	
2	Concrete in surki mortar ...	C.ft.	374	
3	Burnt brick in surki mortar ...	,,	552	
4	Burnt Stone slabs 4″ to 6″ dressed ...	S.ft.	175	
5	Providing joggle joints ...	No.	18	
6	Plastering in surki mortar ...	Sqr.	7·69	
7	Rough stone work ...	C.yd.	58	
	RAISING THE EXISTING WEIR BY 2 FEET 50″ LONG ON LEFT SIDE.			
1	Removing the existing apron ...	,,	17	
2	Removing the stone slabs of the body wall and refixing them on the new portion.	S.ft.	93	
3	Concrete in surki mortar ...	C.ft.	358	
4	Burnt brick in surki mortar ...	,,	537	
5	Plastering with ... do ...	Sqr.	3·72	
6	Jelly wedging with old materials ...	S.yd.	82	

Notification dated 11th December 1933.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Kolar Division up to 2 P.M., on 2nd January 1934, for forming road from Gulur to Thimmanpalli, Bagepalli Taluk, Kolar District. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1934.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Kolar, between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms, which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 550 only in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for forming road from Gulur to Thimmanpalli, Bagepalli Taluk, Kolar District," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintendeng Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates are to be entered both in words and figures.

10. Rates once tendered will on no account be increased afterwards.

11. The amount of earnest money should be deposited in the Government Treasury and the Treasury chellan furnished to this Office with the tender.

12. The tender stating that the work would be executed at a certain percentage in excess or lower than the estimate rate will not be accepted.

Abstract estimate for forming road from Gulur to Thimmanpally, Bagepalli Taluk.

No.	Items of work	Per	Quantity
	ESTIMATE I.		
1	Clearing site, removing shrubs, rock boulders, etc. ...	L. S.	...
2	Excavation in clay soil	Cyd.	1,618
3	Excavating in gravelly soil stacking at site ..	„	13,471
4	Forming bank with earth wherever necessary as per actual requirements.	„	618
5	Removing boulders coming in the road and stacking ..	„	38
6	Blasting rock soft out crops in the road and stacking ...	„	397
7	Fixing and numbering stones to tunnels and Causeways ...	No.	18
	ESTIMATE II.		
	Constructing tunnels in the road of vent area (2½ x 3½).		
1	Excavating in gravelly soil for foundation and forming bank.	Cyd.	66
2	Concrete burnt metal in surki mortar	Cft.	375
3	Burnt stone in line mortar	„	1,089
4	Covering burnt stone slabs 6" roughly dressed with neat joints.	Sft.	240
5	Cut stone slabs for parapet walling and upright ..	„	111
6	Burnt stone in mortar	Cft.	180
7	Pointing with line mortar	Sqr.	6·66
8	Pointing front Apron wall with rough stone on jelly packing.	Cyd.	15
9	Rough stone wings by side of masonry wings and extra	Lump sum	

No.	Items of work	Per	Quantity
	ESTIMATE III.		
	Constructing new causeways in Gulur Thimmanpally Section Nos. 2, 3, 6, 7, 8, 9.—		
1	Earth work excavation	Cyd.	342
2	Concrete burnt stone jelly in line mortar	Cft.	3,475
3	Burnt stone in line mortar	„	973
4	Burnt stone slabs dressed sides and top	Sft.	1,529
5	Earth work for approach bund	L. S.	
6	Pitching approach bund	Cyd.	137
7	Sundries such as laying slab in mortar pointing sides of wheel track slabs, etc.	L. S.	
8	Apron 1 in 6 with rough stone work	Cyd.	309
	ESTIMATE IV.		
	Improvements and repairs to existing Causeways Nos. 1, 4, 5 and 6.—		
1	Dismantling rough stone work	Cft. 100.	3·84
2	Patch repairs to apron work	L. S.	
3	Providing wheel track slabs 6" dressed on sides and top 2' wide and 2' apart.	Sft.	768
4	Pointing with lime mortar and top of wheel track ...	Sqr.	16·00
5	Improving approach bund easing gradient and approaches and other repairs.	L. S.	
6	Pitching sides of Banks at approaches	Cyd.	156
	ESTIMATE V.		
	Improvements to the existing tunnels Nos. 2, 3, 5 and 8.—		
1	Excavation in gravelly soil	Cyd.	10
2	Concrete in lime mortar with burnt stone jelly ...	Cft.	140
3	Burnt stone in lime mortar	„	418
4	Providing dressed stone slabs for covering	Sft.	68
5	Cut stone slabs for parapet and uprights	„	118
6	Pointing with lime morter	Sqr.	156
7	Repairs to apron work	L. S.	
8	Extending flooring and repairing existing flooring ...	Cft.	70
9	For unforseen items ...	L. S.	
	ESTIMATE VI.		
	Constructing a Culvert at 4/7th mile vent area 2 x 5 x 4.—		
1	Earth work excavation in hard gravelly soil ...	Cyd.	68
2	Concrete burnt metal in lime mortar	Cft.	215
3	Burnt stone in lime mortar	„	862
4	Covering slab 6" thick dressed with neat joints ...	Sft.	2·10
5	Cut stone slabs for walling uprights	„	61
6	Flooring with burnt stone in lime mortar	Cft.	240
7	Pointing with lime mortar	Sqr.	4·74
8	Rough stone work apron with jelly packing	Cyd.	14
9	Gravel over covering slabs forming ring bund around wings and unforeseen items.	L. S.	
	ESTIMATE VII.		
	Forming gravel road.—		
1	Forming gravel road	Cyd.	495
2	Carting gravel ½ mile lead average	„	495
3	Picking the road surface	Syd.	52,800
4	Spreading and consolidating gravel ...	Cyd.	2,200
5	Collecting and spreading sand	„	120
6	Watering charges	„	2,200
7	Unforeseen items	L. S.	

Notification, dated 11th December 1933.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Kolar Division up to 2 P.M. on 2nd January 1934, for the work of restoring Thernahalli Hosakere minor tank, Reg. No. 54—474 of Srinivaspur Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of November 1934.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Kolar between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rupees in cash or Government Promissory Notes, as earnest money and be superscribed "Tender for the work of restoring Thernhalli Hosakere minor tank, Reg. No. 54—474, Srinivaspur Taluk" in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. The rates are to be entered both in figures and words.

10. Rates once tendered will on no account be increased afterwards.

11. The amount of earnest money should be deposited in the Government Treasury and the Treasury challan furnished to this Office with the tender.

12. The tender stating that the work would be executed at a certain percentage in excess or lower than the estimate rate will not be accepted.

Thernahalli Hosakere Minor Tank, Regd. No. 54—474 of Srinivaspur Taluk.

No.	Items of work	Unit	Rate	Quantity	Cost
	Bund top width 4½', 53·00 *slopes* 2:1		Rs. a. p.		
1	Clearing jungle and removing anthill and refilling with sand.	Grade		35	
2	Cutting Trenches and grips 3' x 3' to receive earth.	„		35	
3	Earth work to bund including watering and tamping.	C.yd.		2,926	
4	Turfing to bund	Syd.		2,252	
5	Removing and resetting old stone revetment.	C.yd.		68	
6	Gravel backing	„		434	
7	Providing and fixing new grade stones including cutting figures and painting.	Each		35	
8	Providing and fixing Index stones including cutting figures and painting.	No.		35	
9	Providing and fixing date and register No. stones including cutting figures and painting.	„		1	
10	Providing and fixing Bench mark stones including cutting figures and painting.	„		2	
11	Providing and fixing gauge stones including cutting figures and painting.	„		1	
12	Providing stone pitching	S.yd		1,600	

No.	Items of work	Unit	Rate	Quantity	Cost
	Constructing a masonary sluice with cill R. L. 46·00.				
1	Earth work cutting bund	C.yd.		86	
2	Stone jelly concrete in surki mortar ..	C.ft.		358	
3	Burnt stone in surki mortar	,,		383	
4	Burnt stone slabs (4½" to 6") thick ...	S.ft.		236	
5	Deep pointing with cement mortar ..	Sqr.		4·94	
6	Refilling earth work tamping and etc., complete.	C.yd.		95	
7	Drilling holes in orifice slabs ..	...		L.S.	
8	Providing teakwood plug with locking arrangements.	..		L.S.	
	Constructing a masonary weir 215' *long at R.L.* 50·00.				
1	Earth work excavation ...	C.yd.		64	
2	Stone jelly concrete in surki mortar ...	C.ft.		575	
3	Burnt stone in surki mortar ..	,,		470	
4	Burnt stone slabs 4½" to 6" thick ..	S.ft.		259	
5	Pointing with cement mortar ...	Sqr.		10·27	
6	Providing Joggle joints at 8 feet intervals..	No.		27	
7	New stone work with jelly backing and wedging.	C.yd.		88	
8	Earth work to flank with consolidation ...	C.yd.		117	
9	Turfing for training bank ...	S.yd.		93	

K. NARAYANA IYENGAR,
Executive Engineer.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 11677-87, *dated 4th December* 1933.

To

The Firms dealing in Machinery.

Enquiry No. 676.

SHEARING MACHINE.

SUBJECT

DEAR SIRS,

Please intimate your best price and earliest time of delivery for the following :—

One Shearing Machine, suitable for cutting sheets of ½" thick, iron 5/8" thick, round and square iron 1" thick.

Detailed specifications for the machine offered should be furnished in your tender, which should be accompanied by illustrated pamphlets relating to the equipment.

The price to be quoted should be for delivery F.O.R., Maddur Mysore Railways.

The enquiry will close on the 20th December 1933.

No. S. P. C. 11745-54, *dated 5th December* 1933.

To

The Furniture Contractors.

Enquiry No. 679.

GENTLEMEN,

Please intimate your best present day prices for articles of furniture noted below for delivery free at the Office of the School Board Officer, Visveswarapuram, Bangalore City.

Your quotation should be subject to the *conditions of contract enclosed* and should reach this Office by 18*th December* 1933.

SCHEDULE OF ARTICLES.

Teakwood planks 6 ft. x 14" x 1" with battens 9" x 9" at ends and in the middle single plank	100	For free delivery at the School Board Office, Visveswara-